National PDES Testbed
Report Series

NATIONAL

P
D
ES

TESTBED

STEP On-Line
Information Service
User's Guide

NIST

National PDES Testbed
Report Series

NATIONAL
PD
ES
TESTBED

STEP On-Line
Information Service
User's Guide

Susan Katz

Contents

Disclaimer:

Certain commercial products are identified in this paper in order to specify adequately the configuration management procedures. Such identification does not imply recommendation or endorsement by the National Institute of Standards and Technology, nor does it imply that the products identified are necessarily the best available for the purpose.

1 Introduction

This document describes how to access the on-line STEP (Standard for the Exchange of Product Model Data) information service provided by the National PDES (Product Data Exchange using STEP) Testbed at the National Institute of Standards and Technology (NIST). This work was funded by the Department of Defense (DOD) Computer-aided Acquisition and Logistic Support (CALS) office.

This service has been set up to provide users in the STEP development community with access to the latest STEP Parts and related documents and software. A comprehensive configuration management system will be provided in the future, as described in the Configuration Management Systems and Services Development Plan [Ressler]. However, since STEP development is already underway, and users need access to the latest materials, an interim system is being provided. The interim system described in this document provides access to only certain key materials, and offers limited functionality. Further change control, status accounting, and configuration capabilities will be provided in the comprehensive system. A more in-depth description of configuration management as it applies to the STEP development effort will be provided in [Katz1].

The STEP information service described in this document constitutes the "Interim Configuration Management Capability" described in the Configuration Management Systems and Services Development Plan [Ressler].

This document replaces the "NIST STEP Documents Configuration Management System User's Guide" [Katz2], which documented the system originally provided (April 1990) on a different computer platform.

2 Who has access to the on-line STEP information?

Configuration Management (CM) is being provided for four user groups in support of STEP development: the International Organization for Standardization (ISO); the IGES/PDES Organization (IPO); PDES, Inc. and the National PDES Testbed (hereafter referred to as "the Testbed"). The STEP Information Service is designed primarily for the members of those organizations; however, anyone who has the required hardware and software (see Section 4) may view and download the on-line materials. Each organization must communicate their configuration management needs to the Testbed through a single point of contact at their organization, the "Configuration Manager" (see Appendix A). The Configuration Manager for each organization will also be responsible for formulating and administering procedures which are appropriate to that organization, and for providing accurate and up-to-date materials for the on-line system.

All items available through the STEP information service are public domain materials. The Testbed will maintain the on-line system; however, the contributing organizations are responsible for the content and timeliness of the materials provided.

3 What items are available?

The STEP information service contains both documents and software modules.

Instructions for accessing the documents are provided in this user's guide. The latest working software modules of the Testbed's PDES Toolkit [Clark] can also be accessed by following the instructions provided here.

The methods described here provide access to read-only copies of both documents and software. The STEP information service can be used to view available materials and to download copies of items as desired.

Following is a list of categories into which the files have been divided:

- the latest STEP Parts provided to the Testbed
- PDES Toolkit source code, in a UNIX "tar" file format
- PDES, Inc. Phase I deliverables
- the Draft Proposal 1 for STEP (Dec. '88), also known as the Tokyo version of the STEP Parts.

For a detailed listing of the files by category (as of 12/04/90), please see Appendix C.

To add a new item or a new version of an item, the user should provide a machine-readable copy to that organization's Configuration Manager (see Appendix A). Each organization's Configuration Manager serves as a single point of contact to the STEP Information Service at NIST. New items will be placed on-line only when received from the Configuration Manager or someone authorized by the Configuration Manager.

4 Accessing on-line documents and source code

In the following sections, the instructions are addressed to "you," the user.

Two different access methods are being provided: a Bulletin Board System (BBS), accessible by telephone or Internet and a file transfer protocol ("anonymous ftp"[1]), accessible via Internet. Instructions for both are provided below. **Both methods provide access to the same copy of the materials in the on-line system.**

Note: Some of the STEP files contain "include" statements. These statements are not interpreted by either the BBS or the file transfer protocol. Therefore, at this time, the user must specifically download each file individually. For example, if STEP Part1 has two "include" statements, then three separate downloads must be performed to obtain all of the text of Part1.

4.1 BBS Access Instructions

To access the on-line STEP information files through the BBS, your system must fall into one of the two following cases:

Case 1) the PC or workstation must be connected to a modem, and have some sort of communications package, such as Procomm or Smartcom, which provides one of the BBS-supported protocol (Xmodem, Ymodem, or crcXmodem). (Note: Kermit is not currently supported.)

or,

Case 2) the PC or workstation must be connected to Internet, and must have both Telnet and ftp software.

In either case, you can use the BBS to list the files stored, along with a brief description of each file. However, in case (2) you can list the files in the Telnet mode, but must use ftp to download files.

---

1. "anonymous ftp" is a special mechanism that allows us͘ ͗ ͗ ͘͜ login with the user name of "anonymous" and retrieve data.

In case (1), you dial in to the BBS, L)ist the available files, and download files to your PC or workstation using the D)ownload option from the BBS menu.

Modem speeds accepted are 300, 1200 or 2400 baud. Modems used must be "Hayes-compatible." Parity can be even or none (7-8 data bits plus one stop bit). The BBS supports emulations of TTY type terminals (not VT100, or others). The protocols supported include xmodem, ymodem, ASCII, and crcxmodem.

In case (2), you may Telnet to the BBS to identify the files wanted. Alternatively, you can use ftp to copy the "dir.dir" file (which describes the files available for downloading) to your computer (example in Appendix C : BBS File List). Then you can use ftp to copy files to your computer. Instructions for each scenario are provided below.

4.1.1 BBS Access via Modem

Set-up Information:

Set up your communications package to use a BBS-compatible protocol (xmodem, ymodem, or crcxmodem).

Session Instructions:

Hints that apply at any time while you are in the BBS:

- Warning: "backspace" and "delete" keys are peculiar to different machines. If the BBS doesn't respond correctly to the "delete" or "backspace" keys on your machine, try "Control-H."

- You can select [H]elp from either the CALS BBS MAIN MENU or the STEP FILES MENU.

- To get back to the next higher level menu (from having been inside one of the menu choices), you can usually enter a carriage return at any prompt (with no other input).

- The BBS prompts do not always agree with the menu being displayed (for instance, the prompt "MAIN command <?, H, I, J>?" does not reflect the choices in the STEP menu). The choices in the menus are the correct ones, regardless of what is indicated in the prompt.

1) Start up the communications package to connect to your modem.

2) Dial in to the following number: 301-948-8966

If this is a long distance call, the number should be preceded by a "1". The international dialing code for the United States is "+1".

3) You will see (after a minute or so) the CALS BBS welcome message (see Appendix B).You will "join" the STEP sub-bulletin board of the CALS BBS.

4) The BBS will prompt you:

> What is your FIRST name?

Type in your first name. It will then ask:

> What is your LAST name?

Type in your last name.

5) IF THIS IS YOUR FIRST TIME ENTERING THE SYSTEM:

(Skip to item (5) if you have logged in before.)

The BBS will prompt you for registration information. It will ask:

What is your State & Company?

Type in your state and company (free format). The BBS will then ask you:

C)hange FIRST name/LAST name/State & Company, D)isconnect, (R)egister?

If you want to change any of the information, type in:

C

At this point, you may re-enter the information by answering the prompts of the BBS. When you are satisfied with the entries, type in :

R

(for "Register")

The BBS will say:

Enter PASSWORD you'll use to login again (dots echo)?

Enter any alpha/numeric string up to 15 characters in length. The BBS will say:

Re-Enter PASSWORD for Verification (dots echo)?

Re-enter you password. The BBS will say:

Please REMEMBER your password

You will then be in the BBS. You will see the prompt:

More (Y)es, N)o, C)ont, A)bort, J)ump?

Type in:

N

You will see a list of Bulletin Menus, and the BBS will again prompt:

More (Y)es, N)o, C)ont, A)bort, J)ump?

Type in:

N

The BBS will then prompt:

Read what bulletin(s), L)ist, S)ince, N)ews ((ENTER) = none)?

Select the default (none) by hitting the carriage return. The BBS will respond:

Checking messages in MAIN...

If there is no mail for you (there *may* be mail for you if you are a CALS user), the BBS will say:

Sorry, <yourname>, No MAIL for you

6) IF YOU HAVE LOGGED IN BEFORE:

The BBS will say:

Enter PASSWORD (dots echo)?

The BBS will then say:

Checking new bulletins...

Next, the BBS will say:

Checking messages in MAIN...

7) From this point on, the instructions are the same for both newly-registered and previously-registered users. The BBS will prompt:

> Check conferences for mail ((Y), N)?

Type in:

> N

(There *may* be mail for you if you are a CALS user.)

8) You will then see the CALS BBS MAIN MENU (see Appendix B). The system will prompt:

> MAIN command?

Type in:

> J

(for "Join")

9) The BBS will display a list the of sub-boards and conferences available. The system will then ask:

> What conference, L)ist, M)ain ((ENTER) quits)?

Type in:

> STEP

10) The STEP FILES MENU will appear (see Appendix B).

Note: Commands which begin with [*] are not implemented.

You can list (L) the files in the BBS or download (D) files to your PC by following the instructions on the BBS menus.

11) To list the files available, type in:

> L

The listing will include the date of each file and file descriptions. An example of the file list is provided in Appendix C. Please note that the contents of the list will change as new files are placed on-line.

12) Return to the STEP FILES MENU by typing in:

> Q

To download a file (copy a file from the BBS to your computer), from the STEP FILES MENU, type in:

> D

13) Follow the instructions on the BBS to download your file. You will need to select the mode (Xmodem, Ymodem, or crcXmodem). When the BBS says:

> Ready to download

you must return to your communication package's menu and select the option to initiate a file transfer. You must have selected the same protocol in your communications package that you are directing the BBS to use. You should get an on-going report of transfer status from the BBS. You will get a confirmation message when the transfer is complete.

14) To exit the BBS, type in:

> Q

(for Quit).

The BBS will prompt:

> QUIT C)onference, S)ession, or section to F)ile, M)ain?

Type in:

> S

You have now completed your communications session. Exit from your communications package to return to your operating system.

4.1.2 BBS Access through Internet

Session Instructions:

Hints that apply at any time while you are in the BBS:

- Warning: 'backspace' and 'delete' keys are peculiar to different machines. If the BBS doesn't respond correctly to the 'delete' or 'backspace' keys on your machine, try Control-H.

- You can select [H]elp from either the CALS BBS MAIN MENU or the STEP FILES MENU.

- To get back to the next higher level menu (from having been inside one of the menu choices), enter a carriage return at any prompt (with no other input).

- The BBS prompts do not always agree with the menu being displayed (for instance, the prompt "MAIN command <?, H, I, J>?" does not reflect the choices in the STEP menu). The choices in the menus are the correct ones, regardless of what is indicated in the prompt.

1) Type in:

> telnet calsbbs.cme.nist.gov

(**Note:** If your site does not have domain name service, you will need to type in the Internet numerical address of the BBS. If this is the case, type in:

> telnet 129.6.32.173

2) You will see (after a minute or so) the CALS BBS welcome message (see Appendix B).

You will be using the STEP sub-bulletin board of the CALS BBS.

3) The BBS will prompt you:

> What is your FIRST name?

Type in your first name. It will then ask:

> What is your LAST name?

Type in your last name.

4) IF THIS IS YOUR FIRST TIME ENTERING THE SYSTEM:

(Skip to item (5) if you have logged in before.)

The BBS will prompt you for registration information. It will ask:

>   What is your State & Company?

Type in your state and company (free format). The BBS will then ask you:

>   C)hange FIRST name/LAST name/State & Company, D)isconnect, (R)egister?

If you want to change any of the information, type in:

>   C

You may re-enter the information by answering the prompts of the BBS. When you are satisfied with the entries, type in :

>   R

(for "Register")

The BBS will say:

>   Enter PASSWORD you'll use to login again (dots echo)?

Enter any alpha/numeric string up to 15 characters in length. The BBS will say:

>   Re-Enter PASSWORD for Verification (dots echo)?

Re-enter you password. The BBS will say:

>   Please REMEMBER you password

You will then be in the BBS. You will see the prompt:

>   More (Y)es, N)o, C)ont, A)bort, J)ump?

Type in:

>   N

You will see a list of Bulletin Menus, and the BBS will again prompt:

>   More (Y)es, N)o, C)ont, A)bort, J)ump?

Type in:

>   N

The BBS will then prompt:

>   Read what bulletin(s), L)ist, S)ince, N)ews ((ENTER) = none)?

Select the default (none) by hitting the carriage return. The BBS will respond:

>   Checking messages in MAIN...

If there is no mail for you (there *may* be mail for you if you are a CALS user), the BBS will say:

>   Sorry, <yourname>, No MAIL for you

5) IF YOU HAVE LOGGED IN BEFORE:

The BBS will say:

>   Enter PASSWORD (dots echo)?

The BBS will then say:

>   Checking new bulletins...

Next, the BBS will say:

>   Checking messages in MAIN...

6) From this point on, the instructions are the same for both newly-registered and previously-registered users. The BBS will prompt:

    Check conferences for mail ((Y), N)?

Type in:

    N

(There *may* be mail for you if you are a CALS user.)

7) You will then see the CALS BBS MAIN MENU (see Appendix B). The system will prompt:

    MAIN command?

Type in:

    J

(for "Join")

8) The BBS will display a list the of sub-boards and conferences available. The system will then ask:

    What conference, L)ist, M)ain ((ENTER) quits)?

Type in:

    STEP

9) The STEP FILES MENU will appear (see Appendix B).

Note: Commands which begin with [*] are not implemented.

You can list (L) the files in the BBS or download (D) files to your PC by following the instructions on the BBS menus.

10) To list the files available, type in:

    L

The listing will include the date of each file and file descriptions. An example of the file list is provided in Appendix C. Please note that the contents of the list will change as new files are placed on-line.

11) Return to the STEP FILES MENU by typing in:

    Q

12) Note: Despite what the menus say, to download a file, you must quit the BBS and disconnect from Telnet. Before quitting the BBS, be sure to make note of the names of the files that you want to download. Then, follow the instructions in section 4.2, "FTP Access through Internet" (page 9), to use **anonymous ftp** to copy a file to your PC or workstation.

13) To exit the BBS, type in:

    Q

(for Quit).

The BBS will prompt:

    QUIT C)onference, S)ession, or section to F)ile, M)ain?

Type in:

    S

4.2 FTP Access through Internet

To access the on-line STEP information files through ftp, your system must meet the following criteria:

1) your site must be connected to Internet, and

2) your computer must have some form of ftp software.

Session Instructions:

1) Type in:

> ftp durer.cme.nlst.gov

(**Note**: If your site does not have domain name service, you will need to type in the Internet numerical address of the disk called "durer." If this is the case, type in:

> ftp 129.6.32.4

2) At the Name prompt, type in:

> anonymous

3) At the Password prompt, type in your last name.

4) To get a list of ftp options, at any time while in ftp, type in:

> help

5) To get into binary mode (recommended to make transfers faster, and *essential* for downloading binary files), type in:

> bin

Note: Some systems may require you to type in the full word "binary," or even "binary mode."

6) Type in the following to get to the directory where the STEP information is located:

> cd pub/step/dload

("dload" is the BBS's shorthand for "download".)

7) Type in the following command to view a list of files on-line:

> ls

Wildcard substitutions are allowed. For example, to list all the file names beginning with the letter "a", type in:

> ls a*

To display a "long" listing, which shows date of file creation and size in bytes, type in:

> ls -l

To get a "long" listing in time order (a good way to see what has changed recently), type in:

> ls -lt

Note: To get more complete information about the files available, you may want to download the file called "dir.dir", by following the instructions in step (9) below. The contents of the "dir.dir" file are displayed when you do a L)ist command from the STEP BBS. An example appears in Appendix C : BBS File List.

8) Type in the following command to download a copy of a file to your current directory:

>   get <file-name>

substituting the name of the file that you want for <file-name>,

For example,

>   get drafting

9) To copy multiple files at a time, use the mget command:

>   mget <file-name list>

The <file-name list> can be in the form of a regular expression, just like the ones used by the "ls" command in step (7) above. If you are downloading a large number of files and don't want to have to answer "yes" to each "mget" command prompt, you can toggle into the non-prompt mode by entering the command:

>   prompt

10) When you are done, type in the following command to exit ftp and return to your operating system:

>   quit

(Note: Some packages require "bye" instead.)

5 Acronyms

BBS:	Bulletin Board System
CALS:	Computer-aided Acquisition and Logistic Support
CM:	Configuration Management
FTP:	File Transfer Protocol
IPO:	IGES/PDES Organization
ISO:	International Organization for Standardization
PC:	Personal Computer
PDES:	Product Data Exchange using STEP
PDES, Inc.:	A consortium of companies involved in the development of the STEP standard.
STEP:	The acronym used to refer to the "Standard for the Exchange of Product Model Data"

6 References

[Clark]　　　Clark, Stephen Nowland, An Introduction to the NIST PDES Toolkit, NISTIR 4336, National Institute of Standards and Technology, May, 1990.

[Katz1]　　　Katz, Susan, Configuration Management Concepts Document, NISTIR, National Institute of Standards and Technology, Gaithersburg, MD, (to be published).

[Katz2]　　　Katz, Susan, Rinaudot, Gaylen, and Ressler, Sandy, NIST STEP Documents Configuration Management System User's Guide, NISTIR 4303, National Institute of Standards and Technology, Gaithersburg, MD, April 1990.

[Ressler]　　　Ressler, Sandy and Katz, Susan, Development Plan, Configuration Management Systems and Services, NISTIR 4413, National Institute of Standards and Technology, Gaithersburg, MD, September, 1990.

7 Acknowledgments

Appendix A : Configuration Managers

Note: These individuals serve as a single point of contact for their organization regarding Configuration Management. They are responsible for providing the Testbed with CM requirements and items to be configured.

	ISO:	Nigel Shaw (Acting)	0244 520444 (international code 44) nshaw@mcimail.com
11)	IPO:	Bill Conroy (Acting)	(301) 975-3981 (international code conroy@cme.nist.gov
11)	PDES, Inc.:	Larry Karns	(803) 760-3278 (international code LKARNS@mcimail.com
11)	Testbed:	Michael McLay	(301) 975-4099 (international code mclay@cme.nist.gov

Appendix B: BBS Menus

te: The screen images provided here are examples. Items such as timestamps and names reflect the information that was rent at the time these "snapshots" were taken. Therefore, the screens you see when you enter the BBS will be similar in mat, but may vary in the details they show.

LS BBS Internet Terminal Server   CALSBBS   129.6.32.173

LCOME TO CALS BBS - NODE 6

• •

WELCOME TO THE CALS ELECTRONIC BULLETIN BOARD

-- FEATURING TWO SUBOARDS (use (J)oin) --

1) THE STEP STANDARDS ORGANIZATION'S FILE LIBRARY

2) THE IGES/PDES ORGANIZATION'S NEW BBS

Phone Line & DDN/Arpanet/Milnet Access:

----> 301-948-8966 (4 line rotary)

----> Telnet to calsbbs.cme.nist.gov (two ports)

CALS SYSOP is Dave Bettwy	STEP SYSOP
Voice: 301-975-3561	Voice: 301-975-3519
email: betwy@cme.nist.gov	IPO SYSOP
	Voice: 301-975-3982

• •

----*>>> CALS BBS MAIN MENU <<<*-----

-------- MAIL ---------------------SYSTEM------------------------UTILITIES--------------------ELSEWHERE -----------------------

(E)nter Messages	(A)ns. Question.	(H)elp (or?)	(F)iles
(K)ill Messages	(B)ulletins	(J)oin Conference	(G)oodbye
(P)ersonal Mail	(C)omment to Sysop	(V)iew Conf. Mail	(Q)uit
(R)ead Messages	(I)nitial Welcome	(X)pert on/off	(U)tilities
(S)can Messages	(W)ho's on		
(T)opic of Msgs			

Current time: 3:07 PM   Minutes remaining: 69   Security: 5

MAIN command <---> ?

+ -
| • |
| •   Welcome to the STEP FILES LIBRARY.   To view the files available
| •   for downloading, Select the "L" option from the menu and then
| •   press "L" a second time.
| •
| •   LIBRARIANS - Susan Katz
| •   - Scott Bodarky
| •• |
+ -

```
-----*>>> STEP FILES MENU <<<*-----
------- TRANSFER --------------INFORMATION ----------------UTILITIES ----------------- ELSEWHERE --------------------

(D)ownload file        (L)ist files            (H)elp (or ?)           (G)oodbye

(*)ersonal dwnld        (N)ew files            (X)pert on/off          (Q)uit

(*)pload file           (*)earch files
```

Current time: 11:38 AM Minutes remaining:48

Subboard

N command < --- > ?

Appendix C: BBS File List

Example (12/4/90)

STEP FILES AVAILABLE FOR DOWNLOADING

You can retrieve any of these files, while in the F)ile section,
by entering:

d;file.ext

where "file.ext" is the File Name and Ext. as listed below.

Filename	Ext	Size	Date	Description
P1-1		635	10-16-90	Part 1, README
P1-2		70230	10-30-90	Part 1, TEX
P11-1		692	10-16-90	Part 11, README
P11-2		1719	3-01-90	Part 11, ANNEXA.TEX
P11-3		43889	5-23-90	Part 11, ANNEXB.TEX
P11-4		63843	5-23-90	Part 11, ANNEXC.TEX
P11-5		992	2-21-90	Part 11, ANNEXCXX.TEX
P11-6		37631	5-23-90	Part 11, ANNEXD.TEX
P11-7		1495	4-03-90	Part 11, ANNEXE.TEX
P11-8		11246	5-22-90	Part 11, EXPRESS.SSN
P11-9		1728	2-28-90	Part 11, GTREE1.TEX
P11-10		29497	2-26-90	Part 11, NEWISO.STY
P11-11		22074	5-23-90	Part 11, SSEXP.TEX
P11-12		4807	5-22-90	Part 11, STEPTTL.TEX
P11-13		2172	4-27-90	Part 11, WHO.TEX
P11-14		7857	5-23-90	Part 11, X00.TEX
P11-15		16426	5-23-90	Part 11, X02.TEX
P11-16		3737	5-23-90	Part 11, X03.TEX
P11-17		4466	5-22-90	Part 11, X04.TEX
P11-18		43665	5-23-90	Part 11, X05.TEX
P11-19		2586	5-22-90	Part 11, X06.TEX
P11-20		17159	5-23-90	Part 11, X07.TEX
P11-21		45954	5-23-90	Part 11, X08.TEX
P11-22		10827	5-23-90	Part 11, X09.TEX
P11-23		16451	5-23-90	Part 11, X10.TEX
P11-24		2502	3-14-90	Part 11, X11.TEX
P11-25		12777	5-23-90	Part 11, X11A.TEX
P11-26		4048	5-22-90	Part 11, X11B.TEX
P11-27		7317	5-23-90	Part 11, XCOMM.TEX

1-28	947	5-23-90	Part 11, XLRMA.TEX
1-29	3009	9-29-90	Part 11, ERATA.TEX
1-1	786	10-16-90	Part 21, README
1-2	77411	9-19-90	Part 21, PART1
1-3	59284	9-19-90	Part 21, PART2
1-1	633	10-16-90	Part 31, README
1-2	762	10-30-90	Part 31, TITLE.TEX
1-3	2626	10-30-90	Part 31, FOREWORD.TEX
1-4	1036	10-30-90	Part 31, PART_31.TEX
1-5	38904	10-30-90	Part 31, MAIN.TEX
1-6	1612	10-30-90	Part 31, ANNEX_A.TEX
1-7	33388	10-30-90	Part 31, ANNEX_B.TEX
1-8	2012	10-30-90	Part 31, ANNEX_C.TEX
1-9	45818	10-30-90	Part 31, ANNEX_D.TEX
1-10	4070	10-30-90	Part 31, ANNEX_E.TEX
2-1	1147	10-16-90	Part 42, README
2-2	12134	9-17--90	Part 42, PART_42.TEX
2-3	1683	9-17-90	Part 42, INDEX.FOR
2-4	141584	8-13-90	Part 42, GEOMETRY.TEX
2-5	115017	8-13-90	Part 42, TOPOLOGY.TEX
2-6	54647	8-13-90	Part 42, SOLIDS.TEX
2-7	8101	8-07-90	Part 42, SHORT_NA.TEX
2-8	15087	8-13-90	Part 42, INDEX.TEX
2-9	27355	5-29-90	Part 42, ISO.STY
2-10	2391	9-28-89	Part 42, ISO11.STY
2-11	1269	9-28-90	Part 42, ISO_C_DA.TEX
2-12	4096	9-17-90	Part 42, INDEX.EXE (binary)
3-1	475	12-03-90	Part 43, README
3-2	111873	10-30-90	Part 43, PART_43.W51
5-1	441	12-03-90	Part 45, README
5-2	105671	11-21-90	Part 45, MATERIALS
05-1	100	12-07-90	Part 205, README
05-2	20992	10-03-90	AIM_short, Microsoft Word d
05-3	10752	10/02-90	ARM_NIAM, (Microsoft Word)
05-4	22528	10-03-90	Annex_A, (Microsoft Word)
05-5	45056	10-03-90	Annex_B, (Microsoft Word)
05-6	18944	10-02-90	Annex_C, (Microsoft Word)
05-7	17408	10-02-90	Annex_D, (Microsoft Word)
05-8	22528	10-03-90	Annex_E, (Microsoft Word)
05-9	6602	5-21-90	NIAM.IL1, (MacDraft1.2)
05-10	2750	5-21-90	NIAM.IL2, (MacDraft1.2)
05-11	4283	10-03-90	NIAM.IL3, (MacDraft1.2)
05-12	3659	3-28-90	NIAM.icons, (MacDraft1.2)
05-13	16263	10-03-90	NIAM.total1, (MacDraft1.2)
05-14	18534	10-02-90	NIAM.total2, (MacDraft1.2)
05-15	6247	10-02-90	SADT.A-0, (Mac)

```
P205-16       11553   10-03-90   SADT.A0_1, (Mac)
P205-17       10989   10-03-90   SADT.A0_2, (Mac)
P205-18        8741   10-03-90   SADT.A22, (Mac)
P205-19       14183   10-03-90   SADT.A221, (Mac)
P205-20       11256   10-03-90   SADT.A2213, (Mac)
P205-21       10998   10-03-90   SADT.A22134, (Mac)
P205-22        8715   10-03-90   SADT.A221342, (Mac)
P205-23       11704   10-03-90   SADT.A2213422, (Mac)
P205-24       10042   10-03-90   SADT.A2_4_7, (Mac)
P205-25       62464   10-02-90   expanded_form_old, Microsoft
Word d
P205-26       16896   10-02-90   exsix.nf, Microsoft Word d
P205-27        8815   10-03-90   fig1, Microsoft Word d
P205-28       59904   10-02-90   list_of_ent.short, Microsoft
Word d
P205-29       59904   10-02-90   list_of_entities, Microsoft
Word d
P205-30        3072   10-03-90   preface, Microsoft Word d
P205-31        6172    5-17-90   ssap.fig1, Microsoft Word d
P205-32      136192    5-21-90   ssap_v1.1, Microsoft Word d
P205-33       46080   10-02-90   ssap_v2.0_old, Microsoft Word d
P205-34      110592   10-03-90   ssap_v2.0_raw, Microsoft Word d
P205-35       47984   11-09-90   ssap_v2.0_txt, Microsoft Word d
P205-36       25600   10-02-90   usage_guide, Microsoft Word d


TOOLKIT.SRC 3771133   10-09-90   PDES_Toolkit_1.0.tar.z (source
code)


ais_req.doc    76515    4-17-90   PDES Inc., Phase I deliverables
cdb-cmv1.wp5  151847    4-18-90   PDES Inc., Phase I deliverables
cdb-dm02.wp5  470433    4-18-90   PDES Inc., Phase I deliverables
cdb-dm04.wp5  138849    4-18-90   PDES Inc., Phase I deliverables
cdb-fin1.w50   72168    4-18-90   PDES Inc., Phase I deliverables
cdimal.com     11133    3-08-90   PDES Inc., Phase I deliverables
cdimafeb.exe  484445    4-18-90   PDES Inc., Phase I deliverables
cdimb3.com     24223    3-08-90   PDES Inc., Phase I deliverables
cdimbtst.rpt   48828    4-18-90   PDES Inc., Phase I deliverables
cdimver1.exe  196511    1-30-90   PDES Inc., Phase I deliverables
cdimver2.exe  222005    1-30-90   PDES Inc., Phase I deliverables
cdimver3.exe   73690    1-30-90   PDES Inc., Phase I deliverables
dm-v04_a.exe  142293    2-10-90   PDES Inc., Phase I deliverables
dm-v04_b.exe  129502    2-10-90   PDES Inc., Phase I deliverables
dm-v04_c.exe  151576    2-10-90   PDES Inc., Phase I deliverables
expsql1.com    14259    1-30-90   PDES Inc., Phase I deliverables
```

```
expsql2.com      15720    1-30-90    PDES Inc., Phase I deliverables
expsql3.com      17991    1-30-90    PDES Inc., Phase I deliverables
expsql4.com      14243    1-30-90    PDES Inc., Phase I deliverables
expsql5.com      37964    1-30-90    PDES Inc., Phase I deliverables
expsql6.com      15279    1-30-90    PDES Inc., Phase I deliverables
expsql7.com      30966    1-30-90    PDES Inc., Phase I deliverables
expsql8.com      14017    1-30-90    PDES Inc., Phase I deliverables
expsql9.com      13033    1-30-90    PDES Inc., Phase I deliverables
ffdraft.wp5     339336    2-09-90    PDES Inc., Phase I deliverables
finalrpt.wp5     87226    2-24-90    PDES Inc., Phase I deliverables
geom1a.exe      505242    4-17-90    PDES Inc., Phase I deliverables
geom1b.exe      598004    6-01-90    PDES Inc., Phase I deliverables
guideps.com      33728    1-30-90    PDES Inc., Phase I deliverables
intdocv2.wp5    178044    2-26-90    PDES Inc., Phase I deliverables
presentn.w50    126208    2-22-90    PDES Inc., Phase I deliverables
pscmver1.w50    545044    4-18-90    PDES Inc., Phase I deliverables
psimver1.lzh    852353    4-18-90    PDES Inc., Phase I deliverables
tolrncv1.exe    375714    4-17-90    PDES Inc., Phase I deliverables
tolrncv2.exe    431947    4-17-90    PDES Inc., Phase I deliverables
topicals.com     35132    3-08-90    PDES Inc., Phase I deliverables
topl1a.w50      368139    4-18-90    PDES Inc., Phase I deliverables
toplver1.w50    290373    4-18-90    PDES Inc., Phase I deliverables
tstrptal.w50    129642    4-18-90    PDES Inc., Phase I deliverables


AEC              8192   10-30-90    General Resources, Aggregations
Deshape          5261   10-30-90    General Resources, Aggregations
Drafting         8192   10-30-90    Application Resources, Drafting
Elecfun          8192   10-30-90    Application Resources, Electrical
Electric          317   10-30-90    Application Resources, Electrical
Features         8192   10-30-90    General Resources, Shape2
FEM             16384   10-30-90    Application Resources, Finite Element Model
Geometry         8192   10-30-90    General Resources, Shape
ISO11sty         2327   10-30-90    LaTeX Formatting and Style Files
ISOcmds          1205   10-30-90    LaTeX Formatting and Style Files
ISOsty           8129   10-30-90    LaTeX Formatting and Style Files
Material         8129   10-30-90    General Resources, Material
Miscpdes        16384   10-30-90    General Resources, Miscellaneous Resources
Part101           415   10-30-90    Application Resources, Drafting
Part102          2336   10-30-90    Application Resources, Ships Structure
Part103           481   10-30-90    Application Resources, Electrical
Part104           429   10-30-90    Application Resources, Finite Element Model
Part41            622   10-30-90    General Resources, Miscellaneous Resources
```

```
Part42            462   10-30-90   General Resources, Shape
Part43            463   10-30-90   General Resources, Shape2
Part44            447   10-30-90   General Resources, Aggregations
Part45            429   10-30-90   General Resources, Material
Part46           1845   10-30-90   General Resources, Presentation
Presenta         8192   10-30-90   General Resources, Presentation
PSCM            34891   10-30-90   General Resources, Aggregations
Schemati         8192   10-30-90   Application Resources,
Electrical
Shape            8192   10-30-90   General Resources, Shape2
Ships            8192   10-30-90   Application Resources, Ships
Structure
Solids          16384   10-30-90   General Resources, Shape
STEPtitl         4711   10-30-90   LaTeX Formatting and Style
Files
Title101          463   10-30-90   Title Page for Part101
Title102          471   10-30-90   Title Page for Part102
Title103          478   10-30-90   Title Page for Part103
Title104          478   10-30-90   Title Page for Part 104
Title41           477   10-30-90   Title Page for Part41
Title42           459   10-30-90   Title Page for Part42
Title43           461   10-30-90   Title Page for Part43
Title44           466   10-30-90   Title Page for Part44
Title45           462   10-30-90   Title Page for Part45
Title46           466   10-30-90   Title Page for Part46
Toleranc         8192   10-30-90   General Resources, Shape2
Topology         8192   10-30-90   General Resources, Shape
Typedefi         8192   10-30-90   General Resources,
Miscellaneous Resources
Kinematics        -0-   10-30-90   New item to be added at a later
time
```

ST-114A EV. 3-90)	U.S. DEPARTMENT OF COMMERCE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY	1. PUBLICATION OR REPORT NUMBER NISTIR 4491
		2. PERFORMING ORGANIZATION REPORT NUMBER
	BIBLIOGRAPHIC DATA SHEET	3. PUBLICATION DATE January 1991

TITLE AND SUBTITLE

STEP On-Line Information Service User's Guide

AUTHOR(S)

Susan Katz

PERFORMING ORGANIZATION (IF JOINT OR OTHER THAN NIST, SEE INSTRUCTIONS) U.S. DEPARTMENT OF COMMERCE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY GAITHERSBURG, MD 20899	7. CONTRACT/GRANT NUMBER
	8. TYPE OF REPORT AND PERIOD COVERED

SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (STREET, CITY, STATE, ZIP)

SUPPLEMENTARY NOTES

ABSTRACT (A 200-WORD OR LESS FACTUAL SUMMARY OF MOST SIGNIFICANT INFORMATION. IF DOCUMENT INCLUDES A SIGNIFICANT BIBLIOGRAPHY OR LITERATURE SURVEY, MENTION IT HERE.)

This document describes how to access the on-line STEP information service provided by the Information Services Center of the National PDES Testbed at NIST. The on-line information includes the latest STEP Parts, the Tokyo version of STEP, the PDES Toolkit, and the PDES, Inc. Phase I deliverables.

KEY WORDS (6 TO 12 ENTRIES; ALPHABETICAL ORDER; CAPITALIZE ONLY PROPER NAMES; AND SEPARATE KEY WORDS BY SEMICOLONS)

Bulletin Board System; Configuration Management; IGES/PDES Organization; STEP

AVAILABILITY	14. NUMBER OF PRINTED PAGES
X UNLIMITED	24
FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NATIONAL TECHNICAL INFORMATION SERVICE (NTIS).	
ORDER FROM SUPERINTENDENT OF DOCUMENTS, U.S. GOVERNMENT PRINTING OFFICE, WASHINGTON, DC 20402.	15. PRICE A02
ORDER FROM NATIONAL TECHNICAL INFORMATION SERVICE (NTIS), SPRINGFIELD, VA 22161.	

CTRONIC FORM